
Mushrooms

Growing Livelihoods from Waste



Context



Need to Diversify Rural Incomes

Increasing pressure from climate variability, shrinking landholdings, rising cultivation costs and uncertain market returns have created a growing need for livelihood opportunities that can diversify income, **reduce risk and strengthen household resilience.**



Livelihoods with limited resources

There is a need to identify livelihood opportunities that make use of existing limited resources and infrastructure, without the requirement of additional heavy investments. Mushrooms offer a pathway to generate income by **utilizing resources that already exist within rural ecosystems.** Agricultural residues, small household spaces and locally available labour can be utilized and cultivation can be integrated alongside existing livelihoods.



Growing Market Demand

As consumer preferences evolve, mushrooms are increasingly finding a place in modern food systems due to their nutritional value, versatility and growing association with healthy diets. **Demand is expanding across households, restaurants, retail chains and wellness markets,** creating opportunities for producers to participate in a growing sector.

Mushroom cultivation impacts livelihoods, nutrition and waste utilization.

Cultivation of mushrooms creates opportunities for income generation, support local food systems and enable productive use of agricultural residues that might otherwise go unused.

Key benefits



Climate-resilient livelihood



Low land requirement



Rising urban demand for mushrooms



Women’s and Youth’s enterprise opportunity



Agricultural waste utilization



Nutrition and food security


Climate Linkages

Agricultural Residue Is An Untapped Resource

India generates millions of tonnes of agricultural residues (paddy straw, maize stalks and other crop residues) every year, much of which remains underutilized, openly burned or discarded. Mushroom cultivation offers an alternative pathway by converting these residues into productive inputs for food and enterprise generation.


Mushroom helps develop a Circular Economy

Mushroom cultivation demonstrates how resources can move through multiple productive cycles. Agricultural residues become substrate, substrate produces mushrooms, and spent substrate returns to agriculture as compost or soil amendment.



Global Opportunity

Global mushroom production is highly concentrated, with a few countries accounting for the majority of output. Their success is driven by strong ecosystems that support production at scale.



Key Producers

China

~45.4 million metric tons

~94%
of global production

Japan, USA, Poland, and the Netherlands together account for less than 5%

While production is concentrated, consumption is geographically diverse.

Per capita consumption (kg/year)



Netherlands: 15.0

China: 6.44

Italy: 4.87

Japan: 3.76

United States: 1.39

India Context

India is well placed for this opportunity and has a unique combination of favorable factors



Shrinking landholdings

Large base of small and marginal farmers due to high population density.



Climate Variability

Increasing impact on open-field agriculture



Abundant Residue


High volume of agricultural residues especially paddy straw and maize stalks



Urban Demand

Growing demand for nutritious, affordable, plant-based food

India’s mushroom production has expanded across multiple states, supported by:



Availability of raw material



Training programs and short crop cycles



Entry of new small producers

India Geography

India is emerging as an important mushroom producing country, driven by rising urban demand, nutrition awareness, and low-cost livelihood opportunities. States with limited natural suitability are leveraging controlled cultivation technologies to compete with traditional mushroom-growing regions.




Bihar, Odisha, and West Bengal lead in oyster and paddy straw mushroom cultivation due to abundant paddy residue.



Punjab, Haryana, and Himachal Pradesh dominate button mushroom production through controlled cultivation systems.



Karnataka and Tamil Nadu are expanding milky and oyster mushroom enterprises supported by SHGs and urban markets



India Challenge and Opportunity

Despite favorable conditions, mushroom cultivation remains a relatively small sector in India. Many mushroom enterprises struggle to sustain themselves beyond the initial stages.



Low Consumption

Very low per-capita consumption compared to global benchmarks



High crop failure

Significant contamination risk and heat stress



Weak Post Harvest

Limited post-harvest handling, processing, and organized markets



Low tech adoption

Less use of technology across the value chain when it can really make a difference

Global Challenge

Global and Indian studies show that mushroom cultivation is less constrained by production techniques and more by gaps across the value chain particularly in inputs, post-harvest systems, and market linkages.



Reliable input systems (substrate and spawn supply systems)



Climate buffering through controlled or semi-controlled environments



Reduction of post-harvest losses through drying, storage, and aggregation



Market linkages that reward quality and consistency

Types of End Users

Mushroom cultivation includes multiple enterprise profiles, with each facing their own economic objectives and share of challenges

SHG Women

Objective – **Supplement household income**

Challenge – **Market access, Working capital, Trainings, Small-scale controlled systems**

Landless Households

Objective – **Home based enterprise opportunity**

Challenge – **Market access, Working capital, Trainings, Small-scale controlled systems**

Small Farmers

Objective – **Income diversification**

Challenge – **Labour availability, contamination**

Rural Youth Enterprises

Objective – **Enterprise creation and employment**

Challenge – **Finance, Technologies for climate control**

Commercial Farmers

Objective – **Scale, efficiency and market supply**

Challenge – **Energy costs and market consistency**

FPOs

Objective – **Aggregation and market access**

Challenge – **Quality standards during aggregation**

Tribal Communities

Objective – **Utilization of local biodiversity**

Challenge – **Storage, processing and market linkage systems**

Spawn Producers

Objective – **Input supply business**

Challenge – **Quality assurance and distribution**

Varieties

Different mushrooms suit different Indian geographies and systems. India's diversity of climates, residues, and market access mean that no single mushroom type fits all contexts. Understanding mushroom types is therefore critical to designing location-specific, risk-appropriate interventions rather than a one size fits all model.

Different mushroom species respond differently to:



Temperature and humidity



Infrastructure availability



Producer capacity



Market proximity



Mushroom Type	Scientific Name	Share in Indian Production	Major Producing Regions	Important Characteristics
 Button Mushroom	*Agaricus bisporus*	**~70–75%**	Punjab, Haryana, Himachal Pradesh, Uttar Pradesh, Maharashtra	Most commercially cultivated mushroom; high market demand; grown in controlled temperature (14–18°C); requires compost substrate and higher investment.
 Oyster Mushroom	*Pleurotus ostreatus & other Pleurotus spp.*	**~10–12%**	Odisha, Karnataka, Tamil Nadu, West Bengal, Assam	Low-cost cultivation; grows on agricultural waste like paddy straw; high biological efficiency; suitable for small farmers and SHGs.
 Paddy Straw Mushroom	*Volvariella volvacea*	**~7–10%**	Odisha, West Bengal, Andhra Pradesh, Tamil Nadu	Very short crop cycle (10–15 days); ideal for warm tropical climates; uses paddy straw bundles as substrate.
 Milky Mushroom	*Calocybe indica*	**~5–7%**	Tamil Nadu, Karnataka, Telangana, Andhra Pradesh	Tropical mushroom suited for high temperatures (25–35°C); longer shelf life compared to oyster; gaining popularity in South India.
 Shiitake Mushroom	*Lentinula edodes*	**<2%**	Himachal Pradesh, Uttarakhand, Northeast states	High-value medicinal and gourmet mushroom; cultivated on sawdust blocks or hardwood logs; mostly niche markets.
 Wood Ear Mushroom	*Auricularia polytricha*	**<1%**	Northeast India (Nagaland, Manipur, Assam)	Jelly-like texture; widely used in Asian cuisine; grows on wood substrates.
 Reishi (Medicinal Mushroom)	*Ganoderma lucidum*	Very small (niche production)	Karnataka, Kerala, Maharashtra	Used in nutraceutical and medicinal industries; long cultivation cycle but high value.
 Morel Mushroom (Gucchi)	*Morchella esculenta*	Wild harvest	Jammu & Kashmir, Himachal Pradesh, Uttarakhand	One of the most expensive mushrooms in the world; mostly collected from forests; difficult to cultivate commercially.

Climate Sensitivity in Mushroom Cultivation

Successful production depends not only on the skill of the grower, but also on the ability to maintain suitable growing conditions throughout the cultivation cycle.



Temperature

Most mushrooms grow best at 20–30 °C; temperatures above 35 °C can cause 30–70% crop loss due to heat stress and contamination.



Humidity

Optimal relative humidity is 80–90%, if it drops below 70% yields may decline by 20–40%.



CO_2 & Ventilation

CO_2 levels should stay below ~1000 p.m.; poor ventilation leads to malformed mushrooms and lower productivity.




Climate Stability

Maintaining controlled conditions (foggers, ventilation, grow rooms) can increase yield by 30–50% compared to uncontrolled environments.

Mushroom Type	Temp (°C)	RH (%)	CO_2 Sensitivity	Light
Button	16–20	85–90	High	Dark
Milky	25–30	80–90	Medium	Diffused
Oyster	28–32	80–90	Low	Moderate
Paddy Straw	30–35	90–95	Low	Natural
Shiitake	15–22	85	Medium	Dim
Reishi	25–30	85	Low	Low

Value Chain

Success in mushroom cultivation depends on managing the entire production cycle, not just individual stages.



Substrate Sourcing

Collection of agricultural residues

Sterilise

Elimination of competing micro- organisms

Spawning

Inoculation of substrate with mushroom spawn

Incubate

Mycelial growth under controlled conditions

Fruiting

Mushroom formation under optimal humidity and temperature

Harvesting

Multiple harvests from a single bag

Value Chain

Nodal point 1: **Substrate Management**

Substrate management involves sourcing, preparing, and conditioning agricultural residues (such as paddy straw or maize stalks) that form the nutritional base for mushroom growth.



Substrate Importance

- Speed of mycelial growth
- Yield consistency
- Resistance to contamination

Problem statements

- Substrate preparation is highly manual and labor-intensive, increasing drudgery
- Inconsistent chopping size affects aeration and yield
- Poor hygiene during soaking and handling leads to early contamination
- Labor shortages during peak agricultural seasons delay production cycles

Technology Needs

- Chaff cutter
- Pellets
- Quality Spawns
- Subtrate Mixer

Value Chain

Nodal point 2: **Sterilisation & Hygiene**

Sterilisation refers to treating the substrate to eliminate competing microorganisms before spawning.



Sterilisation Importance

- Mushrooms grow in controlled biological conditions; even minor lapses in sterilisation can result in total crop failure.

Problem statements

- Non-standardised sterilisation practices across households and clusters
- Unsafe boiling methods causing health risks, especially for women
- Inconsistent moisture levels post-sterilisation affecting mycelial colonisation
- High batch losses due to fungal and bacterial contamination

Value Chain

Nodal point 3: **Spawn Quality & Bag Preparation**

This nodal point covers the quality of mushroom spawn and the process of packing substrate and spawn into cultivation bags.



Spawn Quality and Bag Preparation Importance

- Colonisation speed
- Yield per bag
- Disease resistance
- Bag preparation determines airflow and moisture balance.

Problem statements

- Limited availability of fresh, reliable spawn, especially in remote regions
- Dependence on distant suppliers causing delays and quality degradation
- Manual bag filling is time-consuming and physically demanding
- Lack of traceability makes it difficult to diagnose failures

Technology Needs

- Bag Packing Machine
- Decomposable Bags

Value Chain

Nodal point 4: **Incubation & Fruiting Environment**

Incubation and fruiting involve maintaining specific temperature, humidity, ventilation, and light conditions for mushroom growth.



Incubation and Fruiting Environment Importance

This nodal point is where climate risk directly enters the system. Environmental instability leads to yield loss and inconsistent production.

Problem statements

- High summer temperatures reduce productivity and increase crop loss
- Manual watering leads to uneven humidity distribution
- Poor ventilation results in high CO_2 levels and malformed mushrooms
- Increased fungal outbreaks in uncontrolled or poorly managed spaces

Technology Needs

- Controlled Environment
- Humidifier
- Fogger
- Moisture meter

Value Chain

Nodal point 5: **Harvesting & Growing Space Management**



This nodal point includes refers to harvesting mushrooms at the right stage and maintaining cleanliness of cultivation spaces between cycles.

Proper harvesting importance

- Maximise yield per bag
- Protect future cycles
- Maintain consistent quality over time

Problem statements

- Improper harvesting timing reduces market value
- Rough handling damages produce and reduces shelf life
- Poor cleaning between cycles leads to recurring contamination
- Informal spaces degrade due to lack of maintenance protocols

Value Chain

Nodal point 6: **Post-Harvest Handling**

Post-harvest handling includes sorting, grading, storage, processing, and packaging of harvested mushrooms.



Post Harvest Management Importance

Mushrooms are highly perishable; value can decline rapidly without timely and hygienic handling.

Problem statements

- High post-harvest losses due to lack of cooling or drying options
- Distress sales caused by short shelf life
- Poor grading and packaging reduce price realisation
- Limited access to processing infrastructure in rural areas

Technology Needs

- Freezer
- Dryer
- Vermicomposting
- Siever

Value Chain

Nodal point 7: **Market Access & Value Realisation**



Post-harvest handling includes sorting, grading, storage, processing, and packaging of harvested mushrooms.

Market Access Importance

Without assured markets, productivity gains do not translate into livelihood security.

Problem statements

- Fragmented production limits aggregation and bargaining power
- Heavy dependence on local traders and informal markets
- Limited awareness of value-added formats (dry, powder, ready mixes)
- Weak branding and absence of institutional buyers

Mushroom Technology Deep Dive



Chaff Cutter

Paddy straw cutting is manual, time-consuming and inconsistent size reduces aeration and yield

Chops paddy straw uniformly for substrate preparation



Mushroom Pellets (Substrate Pellets)

Inconsistent or contaminated straw substrate reduces production and causes contamination


Ready-to-use standardized growing media for mushroom cultivation



Bag Packing Machine

Manual filling of substrate bags is slow and labor intensive

Faster and uniform packing of mushroom cultivation bags



Controlled Environment Chamber

Temperature fluctuations and heat stress cause crop failure

Maintains ideal temperature and environment for incubation and fruiting

Mushroom Technology Deep Dive



Fogger System

Manual watering leads to uneven humidity and lower yields

Automated mist irrigation for maintaining humidity



Humidifier

Dry conditions reduce mushroom growth and productivity

Maintains uniform moisture levels in grow rooms



Hygrometer (Monitoring)

Farmers cannot monitor humidity and temperature accurately

Measures humidity and environmental conditions



Cold Storage

Mushrooms are highly perishable and spoil within 24–48 hours

Extends shelf life of harvested mushrooms



Solar Dryer

Lack of drying options leads to post-harvest losses

Dehydrates mushrooms for powder, dried products and storage

Mushroom’s Value-Added Products







PRODUCT CATEGORY	**Basic Value Addition**	**Processed Consumer Products**	**High-Value Functional Products**
EXAMPLE	Fresh packing, dried mushrooms, powder, pickles	Soup mixes, snacks, ready-to-cook kits, branded retail packs	Nutraceuticals, functional foods, medicinal extracts, export-grade dried products
INVESTMENT NEED	Low	Medium	High
KEY CHARACTERISTICS	Simple processing, household/SHG friendly, minimal equipment	Requires packaging, branding, quality consistency	Technology-intensive, quality certification, advanced processing

Market Channels & Price Realization



Farm-gate pricing

Fresh oyster mushrooms typically fetch ₹150–200 per kg at the village level. Variations occur: in off-season or remote areas prices may dip, while urban demand can spike rates.



Intermediary margins

In Manipur, traders (mostly women) added ~29% margin on average. Wholesalers and retailers (often in larger towns) further capture value. Overall, only about half of the final retail price returns to the grower.



Channels

Roughly 75% of traders reported selling directly to end-consumers, while the rest supply restaurants or feed into local markets. Some farmers sell via roadside stands or weekly markets; others rely on village-level assemblers.



Value-added markets

A small niche exists for processed products (dried or pickled mushrooms, powders). Here growers can receive higher prices (due to longer shelf-life and packaging). However, processing capacity is very limited.



Price trends

Demand spikes in festivals or summer can raise prices. Conversely, gluts after harvests cause sharp dips. The lack of storage exacerbates volatility. Establishing market-linkage support (e.g. forward contracts, aggregation) is a key need.

Mushroom Ecosystem

Mushroom cultivation does not operate in isolation. The strength of the sector depends not only on individual producers, but on how effectively the entire ecosystem works together to support production, reduce risk and create market opportunities. Below are the key stakeholders engaged in mushroom ecosystem.



Research & Innovation
ICAR-DMR, Agricultural Universities, Research Institutions



Capacity Building
KVKs, NGOs, SHGs, Livelihood Missions



Input Supply
Spawn Labs, Equipment Manufacturers, Input Suppliers



Finance & Enterprise Support
NABARD, Banks, Government Schemes, MFIs



Aggregation & Market Access
FPOs, Cooperatives, Producer Collective



Processing and Value Addition
SMEs, Food Producers, Drying Units



Market Channels
Retailers, Hotels, Restaurants, E-commerce, Institutional Buyers

Geographical Indication (GI) Tags for Mushrooms


Gucchi Mushroom
(Morchella esculenta):

Region: Doda district, Jammu & Kashmir

Status: GI tag application submitted; recognition sought for its unique origin and high market value.




One District One Product (ODOP) Initiatives for Mushrooms



Samba

Jammu & Kashmir


Favorable agro-climatic conditions support year- round cultivation of white button, oyster, and milky mushrooms.



Solan

Himachal Pradesh

Recognized for its significant contribution to mushroom production in the state.



Kokrajhar

Assam

Over 21,000 women engaged in mushroom cultivation, promoting livelihoods and nutrition.

Pathways to Scale

The diversity of producers, geographies and market systems means that a single intervention model is unlikely to succeed everywhere. Sustainable growth requires pathways that align with local resources, capacities and market opportunities. Different producer groups may enter the value chain through different routes, but all require access to ecosystem support.

PATHWAY	Household and SHG-Based Livelihood Model	Farmer Diversification Model	Youth Enterprise and Commercial Model	Tribal and Wild Mushroom Livelihood Model
SUITED FOR	• Women SHGs • Landless households • Small-scale livelihood initiatives	• Small farmers • Horticulture farmers • Farmers with access to crop residues	• Rural entrepreneurs • Startups • Commercial growers	• Forest-dependent communities • Tribal producers • Biodiversity-rich regions
ENABLERS	• Low-cost cultivation units • Local spawn access • Community training • Village-level aggregation	• Residue utilization • Climate-buffered production units • Farmer Producer Organizations	• Enterprise finance • Controlled environment technologies • Processing and branding • Market contracts	• Sustainable harvesting protocols • Drying and processing infrastructure • Market linkages for specialty products
SUCCESS CONDITIONS	• Nearby markets • Continuous handholding • Collective marketing	• Integration with existing farm activities • Technical support • Seasonal market planning	• Scale • Consistent quality • Strong market access	• Resource conservation • Quality assurance • Premium market access

Government & Affiliated Agencies

Organization Name	Type	Location	Activities
ICAR – Directorate of Mushroom Research (DMR)	Government Research Institute	Solan, Himachal Pradesh	Apex national institute for mushroom research, training, and technology development.
Krishi Vigyan Kendras (KVKs)	Government Extension Network	Across India	Provide farmer training, demonstrations, and spawn supply for mushroom cultivation.
Assam Agricultural University (AAU)	Agricultural University	Assam	Research and training on mushroom cultivation and extension services.
Odisha University of Agriculture and Technology (OUAT)	Agricultural University	Odisha	Provides mushroom cultivation training, spawn supply, and technology transfer.
University of Agricultural Sciences (UAS)	Agricultural University	Bengaluru, Karnataka	Research on horticulture and mushroom cultivation technologies.
Mushroom Research and Training Centre (OUAT)	Research Centre	Odisha	Training, spawn production, and enterprise development in mushroom cultivation.
National Rural Livelihood Mission (NRLM)	Government Program	India	Supports SHGs and rural enterprises including mushroom cultivation initiatives.
NABARD	Development Finance Institution	India	Supports FPOs, rural entrepreneurship, and value chain development including mushroom farming.
Mission Organic Value Chain Development for North East Region (MOVCDNER)	Government Scheme	Northeast India	Supports organic farming value chains including mushrooms.

NGOs / Private Organizations / SHGs

Organization Name	Type	Location	Activities
Mushroom Development Foundation (MDF)	NGO	Assam,Meghalaya, Arunachal Pradesh, West Bengal	Promoteseco-friendly mushroom cultivation; runs “Livelihood Ashram” for farmer training.
Gramin Vikas Trust (GVT)	NGO	Chhattisgarh	Developed mushroom enterprise model with SHGs across 5 villages; working on farmer 25 .producer groups
Rongmei Baptist Association (RBA)	NGO	Nagaland	Provides training in mushroom cultivation and .sustainable agriculture
Parinaama Development Foundation	NGO	Multiple States	Supports women through mushroom farming .enterprises and livelihood programs
Sanjog	NGO	Nalbari, Assam	Trains women farmers in scientific mushroom cultivation and provides raw materials and .technical support
Navoday Foundation	NGO	Baksa, Assam	Supports 1,200+ women farmers through .mushroom cultivation livelihood programs
MaolKeki Foundation	NGO / Research Organization	Manipur	Conducts mushroom value chain studies and .supports agripreneurs and farmer enterprises
Adam Mushroom Pvt Ltd	Private Company	Assam	Provides mushroom spawn, pellets, and .cultivation inputs for farmers
Ganesh Mahila Swayam Sahayata Samuh	SHG	Bhadrapara, Chhattisgarh	SHG engaged in mushroom cultivation and .training other groups
Aradhana Swayam Sahayata Samuh	SHG	Chhattisgarh	Mushroom enterprise run by SHG members .and knowledge sharing with other groups
Maa Mangala, Maa Radharani, Maa Bhairabi SHGs	SHGs	Gunupur, Odisha	Women-led mushroom cultivation enterprises supplying local markets year-round.
SHGs in Vikasnagar & Sahaspur Blocks	SHGs	Dehradun, Uttarakhand	Mushroom cultivation and processing enterprises contributing to local economies.

Policy & Scheme Landscape

Scheme/Program	Implementing Agency	Key Features	Applicability
National Horticulture Board (NHB)	Ministry of Agriculture & Farmers Welfare	Offers financial assistance up to ₹10 lakhs for mushroom cultivation infrastructure, including spawn production units and composting facilities.	Nationwide
Mission for Integrated Development of Horticulture (MIDH)	Ministry of Agriculture & Farmers Welfare	Provides support for the development of horticulture, including mushroom cultivation, through various sub-schemes.	Nationwide
Horticulture Mission for Northeast and Himalayan States (HMNEH)	Ministry of Agriculture & Farmers Welfare	Focuses on the development of horticulture in NE and Himalayan states, offering subsidies and support for mushroom cultivation.	NE and Himalayan States
Bank Financing Schemes	Banks like Punjab National Bank	Provide loans for mushroom cultivation and spawn production, covering infrastructure setup and working capital.	Nationwide
Mushroom Kit Vitaran		90% subsidy, ₹60 kits, training for 2 days	Bihar
Regional Centre for Training & Production		50% subsidy on spawn and compost	Meghalaya
SC Horticulture Development Scheme		Up to 90% subsidy, inputs + training	Haryana



Conclusion

Scalable mushroom livelihoods require ecosystem-driven, replicable models adapted to different varieties and climatic conditions.

What Will It Take to Build a Sustainable Mushroom Ecosystem?



Strengthen input ecosystems



Improve technical capacity



Enable climate-resilient production



Deploy appropriate technologies



Invest in post-harvest systems



Build strong market linkages